MINERAL SURVEY No. 4170

\.	*	PHOENIX	Land District
		FIELD NOTES	
		OF THE SURVEY OF THE MINING	CLAIM OF
	Frank W	. Ferguson and Joe Roberts	
		KNOWN AS THE	
DEER L		R LODGE NO. 1 and DEER LODGE AI	
		Humburg	
		County, Ariz	
Section 8_	6 31 ·	Townships 8 N 9 N	Rangesi E. G & S R
Surve	yed under	r instructions dated August 17	, 19_33
		By Ralph L	. Motz
			U. S. Mineral Surveyor.
	Claim la	ocated September 27, and Octob	er 14 , 19 30
	Survey o	commenced August 18	, 1933
	Survey o	completed August 20	, 19 <mark>33</mark>
	Address	of claimant Frank W. Ferguson 738 E. McKinley St., Phoen	n, nix, Arizona.
		DATES OF AMENDED LOCATIO	
		odge - July 26, 1933	
	Deer L	odge No. 1 - July 27, 1933.	
822	Deer Le	odge Apex - July 28, 1933.	
			ti a. Government printing office: 1837

Mineral Survey No. 4170 was made with a Gurley & Sons Precise Transit, Light Mountain Type, with horizontal limb 6.25 ins. diam., having two double opposite verniers, and full vertical circle 5 ins. diam., having one double vernier; the verniers read to one minute of arc; the transit is equipped with prismatic eyephece with colored glass slide for making direct observations upon the sun. The instrument was in good condition at the time of survey and all adjustments were in good order. An a. m. altitude observation of the sun for time and azimuth, and at noon on the meridian for latitude, were made at Cor. No. 1 of the Deer Lodge lode, the details of which observations are shown in the calculation sheets herewith submitted for examination. All azimuths in this record are referred to the true meridian thus determined, by the method of deflection angles and calculated courses.

The lines were measured with a Lufkin steel tape 300 feet in length, graduated to feet, tenths and hundredths for entire length; and a Lufkin steel tape 150 feet in length, graduated to feet, tenths and hundredths; both tapes were compared with a Lufkin standard at the time of beginning the survey, and found correct.

All lines and connections of this survey were run by direct

methods.

The magnetic variation observed at each corner of the survey gave a uniform value of 14° 50° E.

DEER LODGE.

Beginning at Cor. No. 1 of the Deer Lodge lode, where I

Set a granite rock, 27x11x4 ins., 16 inches in the ground, for Cor. No. 1, marked DL-1-4170; from which,

The east 1/4 Cor. of Sec. 1, T.8 N., R.1 W., G. & S.R.B. & M., an iron post with brass cap, properly set and marked, bears S. 26° 22° E.,196.3 ft. dist.

A monument of rocks 3 feet high, with 3 feet base, bears 5 feet in a northerly direction.

A granite ledge 7x51 ins., 33 inches above ground, bears S. 34° 02° W., 36.75 ft.; marked BR x DL21-4170

A granite ledge 10x19 ins., 36 inches above ground, bears N. 13° 30° E.,50.1 ft., marked BR x DL-1-4170

Identical with the N. E. Cor. of the Little Mint lode, unsurveyed, claimant F. P. Fogarty; and with the sime N. W. Cor. of the Advance lode, unsurveyed, claimant F. P. Fogarty.

thence N. 33 000 E. Tand to 10

Center of west fork of Rock Wall Canyon, width 20 feet, course S. 45° E. 198.0

1496.5 Cor. No. 2

> I , LE EDVAL SERE Identical with N. E. Cor. of the Sink To Rise lode, unsurveyed, F. P. Fogarty, Claiment.

set a granite rock 28xklx7 ins., 16 inches in the ground, for Cor. No. 2, marked DL-2-4170; from which

A granite ledge 32x37 ins., 14 inches above ground, bears S. 82° 00° W.,7.5 ft., marked BR x, DL-2-4170

A granite ledge 18x25 ins., 5 inches above ground, bears N. 14° 15° W., 16.6 ft., marked BR x DL-2-4170

A mound of stones 3 feet high, with 3 feet base, bears 4 feet in

200	a southwesterly direction.	
indi Mi Lori	thence S.57° 00° E.	
55 ₉ 3	To Cor. No. 3, Deer Lodge No. 1 lode, this survey.	
300.0	To Original location for the north end center, being a mound of stones 3 feet high with 3 feet base.	
355.3	To south end center, Deer Lodge No. 1 lode, this survey.	
600 . 0	Cor. No. 3	
Tina.	On granite ledge, vertical face 14 feet high 56 feet long, point for Cor. No. 3 marked DL-3-4170 X; from which	
zi dati d	A point on same granite ledge bears N.5° 00° E.,15.3 ft., marked BR x DL-3-4170	
	A granite ledge 18x38 inches, 11 inches above ground bears N. 85° 03° E, 33.1 ft., marked BR x 3-4170 DL	
Etwelne et	thence S 33° 00° W	
150.0	[- [- [- [- [- [- [- [- [- [-	
621.6	Cor. No. 3, Deer Lodge Apex Lode, this survey.	
665.0	Center East Fork, Rock Wall Canyon, 20 feet wide, course N. 80° W.	
1496.5	Cor. No. 4 . Cor. M	
	Identical with the N. E. Cor., Advance lode, unsurveyed, F. P. Fogarty, Claimant	
ā.	Set a granite rock 25x9 x4 ins., 16 inches in the ground, for Cor. No. 4, marked x DL-4.4170, from which	
	A mound of rocks 3 feet high, with 3 feet base, bears 5 feet in a northerly direction.	
3/2	A granite ledge 12x24 ins., 15 inches above ground, bears N. 45° 05° E,6.5 ft., marked BR x DL-4-4170	
UT	thence N. 57° 00° W.	
300 _• 0	Original location for the south end center, being a mound of stone 3 feet high, with 3 feet base.	
	Center of East Fork, Rock Wall Canyon, 20 feet wide, course S. 45° W.	
455.0	Center of West Fork, Rock Wall Canyon, 20 feet wide, course S.10° E.	
600,0	Cor. No. 1 and place of beginning.	
	DEER LODGE NO. 1.	
	Beginning at Cor. No. 1 of the Deer Lodge No. 1 lode, where I	
	Set a granite rock 26x6x8 ins., 16 inches in the ground, for Cor. No. 1, marked x Dil-1-4170; from which	
are)	The South 1/4 Cor. of Sec. 31, T.9 N. R.1 E. G. & S.R.B. & M., an iron post properly set with brass cap properly marked, bears N. 80° 18° E. 445.9 ft. dist.	
	A monument of rocks 3 feet high, with 3 feet base, bears 4 feet in a westerly direction.	

carried a gaine capped thence \$.35° 02° W. nollabel leading 200 200 Intersect line 4-1 Deer Lodge Apex lode this survey, at a point from which Cor. No. 4 bears 5.72° 30' W.109.6 ft. 1092.37 1498.8 Cor. No. 2 ol a schi d rocky chance in a so io. it merked top-d-4170; Set granite rock 28x9x5 ins., 16 inches in the ground, for Cor. No. 2, marked DL12-4170; from which A monument of rocks 3 feet high with 3 feet base, bears 5 feet in a northwesterly direction A granite ledge 84x84 ins. 60 inches above ground, bears S.12° 30° E.4.5 ft., marked BR x DI1-2-4170 A granite ledge 12x13 ins., 39 inches above ground, bears thence N. 57° 00° W. A arand, based tool 25.0 Center of East Fork, Rock Wall Janyon, 20 feet wide, course S. 5° W. Cor. No. 3 of the Deer Lodge lode this survey and intersect line 3-4 of the Deer Lodge Apex lode of this survey at a point from which Cor. No. 4 bears N. 33 00 E. 321.6 ft. Original location for the south end center, being a mound of stones 300.0 3 feet high with 3 feet base. 355.3 To north end center, Deer Lodge lode, this survey. Mil.s Original location for the west and render, Deing 600.0 Cor. No. 3 Set granite rock 27x10x7 ins., 16 inches in the ground, for Cor. de No. 3, marked DL1-3-4170; spool resquest to 8-8 said from chach Cor. He. S bears S. 57 00 E. 55.2 No bearings available. 1 Rock Wall Cenyon, 20 feet wide, course 695.0 Center of the East Fork thence N. 35 02° E. 1498.8 Cor. No. 4 A . OH . TOU Set a granite rock 28x8x7 ins., 16 inches in the ground for Cor.

No. 4, marked DL1-4-4170 ; OVIS-4-AIG beauted & .OM

cost A grand No bearings available: d the E calor to the number of

thence S. 57° 00' E.

40.0 Center of East Fork of Rock Wall Canyon, 15 feet wide, course South.

300.0 Original location for the north and center, being a mound of stones 3 feet high with 3 feet base.

6CO.O Cor. No. 1 and place of beginning.

DEER LODGE APEX.

Beginning at Cor. No. 1 of the Deer Lodge Apex lode, where I

Set a granite rock 28x9x6 ins., 16 inches in the ground, for Cor. No. 1, marked DLA-1-4170; from which a coll on the

lo sove I can I sove of

eer Ludge No. 1 lode, 5. 55 The South 1/4 Cor. of Sec. 31, T 9 N, R 1 E, G & S R-B & M, being an iron post with brass cap properly set and marked SC S 31 1/4 bears N. 25° 11' W. 609.8 ft.

thence S. 33 00° W.

Original location for the east end center, being a mound of stones 471.6 3 feet high with 3 feet base. 1- built special 7 ... of C. Tarris Coro No. 2 . 943.2 Set a schist rock, 28x8x5 ins., 16 inches in the ground, for Cor. No. 2, marked DLA-2-4170; from which A momment of rocks 3 feet high with 3 feet base, bears 4 feet in a northerly direction. thence S. 72° 30° W. Lo down Center of the East Fork of Rock Wall Canyon, 20 feet wide, course 1392.0 S. 40 W. 1500.0 Cor. No. 3 Set a granite rock 25x9x7 ins., %6 inches in the ground, for Cor. No. 3, marked DLA-3-4170; from Which A monument of rocks 3 feet high with 3 feet base, bears 4 feet in a northeasterly directio A granite rock in place 14 x 14 ins., 11 inckes above ground, bears S. 60° 10° E. 25.7 ft., marked BR x DLA-3-4170 10 0 C A granite ledge 30x43 ins., 32 inches above ground, bears N. 56° 30' W. 5.3 ft4, marked BR x DLA-3-4170 thence N. 33 00° E. Original location for the west end center, being a mound of stones 471.6 3 feet high with 3 feet base. 621.6 To Cor. No. 3 of the Deer Lodge lode of this survey, also intersect line 2-3 of the Deer Lodge No. 1 Lode of this survey at a point from which Cor. No. 2 bears \$.57° 00° E.55.3 ft. Center of the East Fork of Rock Wall Canyon, 20 feet wide, course S.5° W. 695.0 A . col .man B. TAI 943.2 Cor. No. 4 Set a granite rock 26x7x4 ins., 16 inches in the ground, for Cor. No. 4. marked DLA-4-4170; from which A monument of rocks, 3 feet high with 3 feet base, bears 4 feet in a southerly direction. thence N. 72° 30° E. ion real to refund that t Intersect line 1-2 of the Deer Lodge No. 1 lode of this survey at 109.6 a point from which Cor. No. 2 bears 8.35 02 W. 406.43 ft. 1500.0 Cor. No. 1 and place of beginning. ter agein ban L .og .und 0.000 LODE LINES. The presumed course of the vein of each of the several lode locations embraced in this survey, counted from the respective points of discovery, is as follows: Deer Lodge lode, S. 33 00 W. 220.0 ft and N 33 00 E. 1276.5 ft. Deer Lodge No. 1 lode, S. 35° 02' W. 150.0 ft. and N. 35° 02' E. 1348.8 0 .

1425.0 ft.

Deer Lodge Apex Lode S. 72 30 Wo, 75.0 ft., and W. 72 30 E.,

Sears H. AS II W. 809.8 ft.

Total Area, Deer Lodge Lode - - - - - 20.613 Acres receiped best de

Total Area, Deer Lodge No. 1 lode - - - - 20.632 Acres

Total Area, Deer Lodge Apex lede - - - - 20.659 Acres

.11 011 parea in Conflict with

with on the control of all bins Deer Lodge No. 1 lode, of this survey - - - - - - 9.515 Acres

Tremen & fi. wide, & fa. deep, the senth this of which is on the local line & fi. from court, MOATANAL or rese h. 25° C2' & 10° fi.

This survey is located in the SE.1/4 of the SW.1/4 of Sec. 31, T. 9 N., R.1 E; Lots 2, 3, 4 and 5, Sec. 6, T.8 N., R.1 E; and the SE. 1/4 of the NE.1/4 of Sec. k, T.8 N, R. 1 W, all of G. & S. R. B. & M.

The survey of each of the claims of this survey is identical with the respective amended location as marked on the ground.

then eat 3 for wide, in face, the mouth of while

I certify that the value of the labor and improvements made upon each of the lode locations embraced in said mining claim by the claimants or their grantors is not less than \$500, and that said improvements consist of:-

. 1 27 enil epol en DEER LODGE Lode.

- The discovery cut of the Deer Lodge lode, the face of which being No. 1 the discovery point, is on the lode line 220 ft. from the south end center, kame 4 ft. wide, 10 ft. face, runs S. 33 W. 14 ft. to mouth. Value - 2 \$50id
- No. 2 A cut 4 ft. wide, 15 ft. face, the mouth of which bears on lode line 107.0 ft. from seuth end center, runs N. 33 E. 15 ft. to face and portal of tunnel 4x6 ft. in size, tunning N. 33 E. 106 ft. to breast. The last 46 feet of this tunnel has been run by the claimants. Value of 46 feet of tunnel \$368-
- A cut 5 ft. wide, 12 ft. face, the mouth of which brs. from south end No. 3 center on lode line 280 ft., runs N. 33° E.12 ft. to face. eise, el considerable d'**75** è **eule**) r cavel Bests l'est the socth end center of Dest i
- A cut 5 ft. wide, 12 ft. face, the mouth of which bears from south No. 4 end center on lode line 320 ft. runs N. 33° E.12 ft. to face. of agend reed to Value \$ 75 not not?
- No. 5 A cut 7 ft. wide, 10 ft. face, the mouth of which brs. from south end center on lode line 815 ft., runs N. 33° E. 13 ft. to face and portal of tunnel 4x7 ft. in size running N. 33° E. 137 ft. to breast. The last 57 ft. of this tunnel has been run by the claimants. Value of 57 ft. of tunnel \$570
- Trench 3 ft. wide, 6 ft. deep, the south end of which bears from the south end center on lode line 880 ft., runs N. 33° E. 30 ft. to north end.

Value \$ 150

- Trench 2 ft. wide, 4 ft. deep, the south end of which bears from the No. 7 south end center on lode line 1190 ft., runs N. 43° 45° E. 55 ft. to north end. Value \$ 140
- Trench 2 ft. wide, 3 ft. deep, the south end of which brs. from point No. 8 on lode line 1190 ft. from south end center N. 43° 45° E. 60 ft., runs N. 43° 45 ' E. 30 ft. to north end. Value \$ 50
- Trench 2 ft. wide, 4 ft. deep, the south end of which brs.from point No. 9 on lode line 1190 ft. from south end center N. 43° 45° E. 100 ft., runs N. 55° 45° E.100 ft. to north end. Value \$ 250

Trench 2 ft. wide, 3 feat deep, the north and of which bears from the north end center \$.50° E.56 ft., runs \$.33° W.60 ft. to south No. 10 of I and embed dang esers Labo

Value \$ 75

DEER LODGE No.1 Lode. The discovery shaft of the Deer Lodge No. 1 lode, the center of which is the discovery point, is on the lode line 150 ft. from No. 1 the south end center, 4x6 ft., 12 feet deep.

Value \$ 75

Trench 3 ft. wide, 6 ft. deep, the south end of which is on the lode line 8 ft. from south end center, runs N.35° 02° E.134 ft. No. 2 to north end.

To A Value \$ 402 A A R ond at bottoos at you use

Trench 3 ft. wide, 5 ft. deep, the south end of which is on the lode line 170 ft. from south end center, runs N.35° 02° E.40 ft. No. 3 o north end. The least of the deserve self and the deserve self and the control of the control o to north end.

Open cut 8 ft. wide, 12 ft. face, the mouth of which bears from south end center on lode line 285 ft., runs 8.35° 02° W.18 ft. te No. 4 face and portal of tunnel 4x6 ft. in size, running N. 57° W. 10 ft. to breast.

d sist Value of tunnel and open cut \$ 275 each out to

The discovery shaft of the Deer Lodge Apex lode, the center of No. 1 which is the discovery point, is on the lode line 75 ft. from the west end center, 4x12 ft., 8 ft. deep. to the grave and the control of the Yalue \$ 125 and the set of the control of the contr

A drift on vein, the west end of which brs. on lode line 820 ft. from the west end center, runs N 72° 30° E. 34ft. to tunnel, thence N. 72° 30° E. 32 ft. to east breast. Tunnel runs from drift N. 28° 40° W. 162 ft. to mouth and M.S. 28° 40° E. 20 ft. to breast. 62 feet of drift has been run by the claimants.

Value of 62 ft of drift \$620

the Rapes ment and Holds to de OTHER INPROVEMENTS. . com and a swo L C . of

Shaft 6x8 ft. in size, of considerable depth, collar caved, the center of which bears from the south end center of Deer Lodge lode N. 25° E. 190 ft. denon and cost .12

Shaft 4x6 ft., 8 ft. deep, bears from south end center of Deer Lodge lode N. 38° E. 435 ft.

Open cut 4 ft. wide, 6 ft. Rice, runs N. 10 W. 12 ft. to face, mouth of which brs. from north end center of Deer Lodge lode on lode line 410 ft.

Portions of Improvements Nos. 2 and 5 of Deer Lodge lode.

disale off a donern Shalt 4x6 ft., 8 ft. deep, bears from west end center of Deer Lodge Apex lode on lode line 820 ft. Value # 156

Shaft 4x6 ft., 8 ft. deep, bears fromwest end center of Deep Lodge

Shaft 4x6 ft., 28 ft. deep, bears from west end center of Deer Lodge Apex lode on lode line 865 ft.

Portion of Improvement No. 2 Deer Lodge Apex Lode. anur . 1 Claiments of all the above unknown.

Trinch & fi. alic, fire locs, who sould the of thick brackron point or hose line lived in firm south end continue the street south fit.

8 15 Catt2 CO woll

FINAL OATHS FOR SURVEYS

LIST OF NAMES

A list of the names of the individuals er	nployed by Ralph L. 10tz	
United States Mineral Surveyor, to assist in	n running, measuring, and marking	the lines, corners, and
boundaries described in the foregoing field no	otes of the survey of the mining cla	im of
Frank W. Ferguson		
known as the Deer Lodge, Deer Lod		
and showing the respective capacities in which		
	Edwin J. Bowley	. Chainman.
	Salvador Espinoza	
		Flagman.
FINAL OATH	HS OF ASSISTANTS	
We, Edwin J. Rowl	ey	
nd Salvador Espinoza		
Ralph L. 10 tz , United Stat		
		•
nown as the Deer Lodge, Deer Lod		
epresented in the foregoing field notes as ha		
irection; and that said survey has been in all	respects, to the best of our knowledg	e and belief, faithfully
nd correctly executed, and the corner and boun	dary monuments established according	g to law and the instruc-
ions furnished by the Office Cadastral Engineer	r, at Phoenix, Arizona	0
	Edwin J. Row	Chainman.
	100	, Chainman.
	Salvador Espinoza	Axman.
		, Flagman
Subscribed and sworn to b	y the above-named persons before me	e this 21st
	, 19 33	
My commission expires July 22	Mary Ox	nsny
	of Marcopa State of	for the County M.
w commission expires July 22	OVERNORDAT PROGRAM OFFICE	6-1048

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Ralph L. Motz , U. S. Mineral Surveyor
do solemnly swear that, in pursuance of instructions received from the Office Cadastral Engineer,
at Phoenix, Arizona , dated August 17, 1933
I have, in strict conformity to the laws of the United States, the official regulations and instruc-
tions thereunder, and the instructions of said Office Cadastral Engineer, faithfully and correctly
executed the survey of the Mining Claim of Frank W. Ferguson and Joe Roberts
, known as the
Deer Lodge, Deer Lodge No. 1 and Deer Lodge Apex lodes
situate in Humbug Mining District,
Yavapai County, Arizona , in Sections of the section o
Township, Nos. 8 N , Range, Nos. 1 E G & S R B & M
and designated as Survey No. 4170 as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly
marked by monuments on the ground, and described in the attached copy of the location certifi-
cate, which was received by me from the Office Cadastral Engineer with said instructions, and
that all corners of said survey have been established and perpetuated in strict accordance with
the law, official regulations and instructions thereunder; and I do further solemnly swear that the
foregoing are the true and original field notes of said survey and my report therein, and that the
labor expended and improvements made upon said mining claim by claimant ortheir
grantors are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of said labor
or improvements so credited to this claim has been included in the estimate of expenditures upon
any other claim.
Talfh R. Moz U. S. Mineral Surveyor.
Subscribed and sworn to by the saidRalph L. Motz
U. S. Mineral Surveyor, before me C. A. Spezia
Notary Public for Greenlee County, Arizona. this 28th.
day of September , 1933.
My Commission Expires Oct 11th. 1936.
OOVERMMENT PRINTING OFFICE

OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

Department of the Interior

PUBLIC SURVEY OFFICE

Phoenix, Arizone	
October 12 , 193	33
I, Office Cadastral Engineer at Phoenix Arizona	
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the surv	ey
of the mining claim of	
Frank W. Ferguson and Joe Roberts	
known as the DEER LODGE, DEER LODGE No. 1, and DEEP LODGE APEX	
situate in Humbng	
Mining District Yavanai County Arizona	
in Sections 1,6 and 31, Townships Nos. 8 and 9 N., Ranges Nos. 1 E. and 1 W., and	ad
designated as Survey No. 4170 , has been correctly copied from the originals on file	in
this office; that said Field Notes furnish such an accurate description of said mining claim as will,	if
incorporated into a patent, serve fully to identify the premises, and that such reference is made there	in
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.	
I further certify that Five Hundred Dollars worth of labor has been expended or improvemen	ts
made upon, or for the benefit of, each location embraced in said mining claim by claimar rank w.Ferguson and or	nt5
and that said improvements consist of	
2 shafts, 4 cuts	
7 trenches, 3 tunnels	
and 1 drift	
Total value \$ 3,420.00	
and that no portion of -ill-land;	
and that no portion of said labor or improvements has been included in the estimate of expenditure upon any other claim.	8
I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix	
is correct and in conformity with the foregoing Field Notes.	
Sherman C. Pieke	
Acting. Office Cadastral Engineer.	

CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

PUBLIC SURVEY OFFICE

	At Phoenix, Arizona			
	October 12 , 1933			
I, Office Cadastral Engineer at Phoenix,	Arizona			
do hereby certify that the foregoing and hereto atta	ached Field Notes and Return of the Survey of the			
Mining Claim of				
Frank W. Ferguson an				
	, known as the			
DEER LODGE, DEER LODGE No.1. AN	D DEER LODGE APEX lodes			
situate in	Humbug mining district,			
Yavapai County.	Arizona			
in Section 51, 6, and 31, Township, Nos	8 and 9 N. , Ranger Nos 1E. & 1W.			
G.& S.R. B.&M., designated as Survey No. 41	170			
executed by Ralph L. Motz				
Surveyor, August 18 - 20				
August 17 , 1933	, have been critically examined and the necessary			
corrections and explanations made, and the said Field	d Notes and Return, and the Survey they describe,			
are hereby approved. The certified eepy of the location certificates filed by the applicant for survey				
on file in this office and a true copies of said certified	depres of said location certificates included and			
nade a part of the transcript of the field notes.				
	Sherman C. Fiske Sherman C. Fiske			
GOVERNMENT FRICTING OFFICE 6-7131	Acting Office Cadastral Engineer.			